

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

1: Hunger RE, Michel A, Seyed Jafari SM, **Shafighi M.** Sentinel lymph node biopsy in thick malignant melanoma: A 16-year single unit experience. Eur J Dermatol. 2015 Oct 1;25(5):472-6.

2: Tschumi C, Seyed Jafari SM, Rothenberger J, Van de Ville D, Keel M, Krause F, **Shafighi M.**

Post-operative monitoring of free muscle transfers by Laser Doppler

Imaging: A prospective study.

Microsurgery. 2015 Oct;35(7):528-35.

3: Majdak-Paredes EJ, **Shafighi M**, Fatah F.

Integrated algorithm for

reconstruction of complex forms of Poland syndrome: 20-year outcomes.

J Plast Reconstr Aesthet Surg. 2015 Oct;68(10):1386-94.

4: Seyed Jafari SM, Hunger RE, **Shafighi M.**

Lack of strong evidence with regard to the depth of thick melanoma excision.

Br J Dermatol. 2015 Oct;173(4):1095.

5: Rothenberger J, Seyed Jafari SM, Schnabel KP, Tschumi C, Angermeier S, **Shafighi M.**

Evaluation of Medical Students' Attitudes and Performance of Basic Surgery Skills in a Training Program Using Fresh Human skin, Excised During Body Contouring Surgeries.

J Surg Educ. 2015 Sep-Oct;72(5):868-74.

6: Hunger RE, Angermeier S, Seyed Jafari SM, Ochsenbein A, **Shafighi M.**

A retrospective study of 1- versus 2-cm excision margins for cutaneous malignant melanomas thicker than 2 mm.

J Am Acad Dermatol. 2015 Jun;72(6):1054-9.

7: Olariu R, **Shafighi M**, Constantinescu MA. The risk-reducing mastectomy: unnecessary hysteria or life-saving prophylaxis?.

Ther Umsch. 2014 Dec;71(12):759-64. Review. German.

8: Hunger RE, Seyed Jafari SM, Angermeier S, **Shafighi M**.

Excision of fascia in melanoma thicker than 2 mm: no evidence for improved clinical outcome. Br J

Dermatol. 2014 Dec;171(6):1391-6.

9: Nevzati E, **Shafighi M**, Bakhtian KD, Treiber H, Fandino J, Fathi AR.

Estrogen induces nitric oxide production via nitric oxide synthase activation in endothelial cells.

Acta Neurochir Suppl. 2015;120:141-5.

10: Seyed Jafari SM, Schawkat M, Van De Ville D, **Shafighi M**.

Relative indexes of cutaneous blood perfusion measured by real-time laser Doppler imaging (LDI) in healthy volunteers.

Microvasc Res. 2014 Jul;94:1-6.

11: Gerber AL, Müntz A, Schlapbach C, **Shafighi M**, Kiermeir D, Hüsler R, Hunger R

High expression of FOXP3 in primary melanoma is associated with tumour progression.

Br J Dermatol. 2014 Jan;170(1):103-9.

12: Krause FG, Pfander G, Henning J, **Shafighi M**, Weber M.

Ankle dorsiflexion arthrodesis to salvage Chopart's amputation with anterior skin insufficiency.

Foot Ankle Int. 2013 Nov;34(11):1560-8.

13: Constantinescu MA, Olariu R, **Shafighi M**.

Surgical therapy for reconstruction of body shape and contour following massive weight reduction. Ther Umsch. 2013

Feb;70(2):135-8.

14: **Shafighi M**, Fathi AR, Brun C, Huemer GM, Wirth R, Hunger R, Banic A,

Constantinescu MA.

Topical application of 17 β -estradiol (E2) improves skin flap survival through activation of endothelial nitric oxide synthase in rats. Wound

Repair Regen. 2012 Sep-Oct;20(5):740-7.

15: **Shafighi M**, Olariu R, Brun C, Fathi AR, Djafarzadeh S, Jakob SM, Hunger RE,

Banic A, Constantinescu MA.

The role of androgens on hypoxia-inducible factor (HIF)-1 α -induced angiogenesis and on the survival of ischemically challenged skin flaps in a rat model.

Microsurgery. 2012 Sep;32(6):475-81.

16: **Shafighi M**, Constantinescu MA, Huemer GM, Olariu R, Bonel HM, Banic A,

Ramakrishnan V.

The extended diep flap: extending the possibilities for breast reconstruction with tissue from the lower abdomen.

Microsurgery. 2013 Jan;33(1):24-31.

17: Huemer GM, Schmidt M, Helml GH, **Shafighi M**, Dunst-Huemer KM.

Effective wound closure with a new two-component wound closure device (Prineo™) in excisional body-contouring surgery: experience in over 200 procedures.

Aesthetic Plast Surg. 2012 Apr;36(2):382-6.

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

18: **Shafighi M**, Olariu R, Fathi AR, Djafarzadeh S, Jakob SM, Banic A, Constantinescu MA.

Dimethyloxalyglycine stabilizes HIF-1 α in cultured human endothelial cells and increases random-pattern skin flap survival in vivo.

Plast Reconstr Surg. 2011 Aug;128(2):415-22.

19: Gurunluoglu R, **Shafighi M**, Williams SA, Kimm GE.

Incorporation of a preexisting scar in the star-flap technique for nipple reconstruction.

Ann Plast Surg. 2012 Jan;68(1):17-21.

20: Gurunluoglu R, **Shafighi M**, Williams SA, Glasgow M.

Reconstruction of large supra-eyebrow and forehead defects using the hatchet flap principle and sparing sensory nerve branches.

Ann Plast Surg. 2012 Jan;68(1):37-42.

21: Gurunluoglu R, **Shafighi M**, Gurunluoglu A, Cavdar S.

Giulio Cesare Aranzio (Arantius) (1530-89) in the pageant of anatomy and surgery.

J Med Biogr. 2011May;19(2):63-9.

22: Lloyd MS, **Shafighi M**, Nirranjan N.

Response to article, The median artery: its potential complications for the radial forearm flap by Varley et al, JPRAS 61:693-695. J Plast Reconstr Aesthet Surg. 2009 Jan;62(1):116

23: Majdak-Paredes EJ, **Shafighi M**, Fatah F.

Unilateral hypoplastic breast in a male-to-female transsexual with Poland syndrome after gender reassignment--reconstructive considerations.

J Plast Reconstr Aesthet Surg. 2009 Mar;62(3):398-401.

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

24: Barabás AG, **Shafighi M**, Sassoon EM, Haywood RM.

The bilateral DIEP flap: a method of bipediced anastomosis to a single internal mammary artery and venae comitantes.

J Plast Reconstr Aesthet Surg. 2008 Oct;61(10):1249-51.

25: Bleuler P, **Shafighi M**, Donati OF, Gurunluoglu R, Constantinescu MA.

Dynamic repair of scapholunate dissociation with dorsal extensor carpi radialis longus tenodesis.

J Hand Surg Am. 2008 Feb;33(2):281-4.

26: Majdak-Paredes EJ, **Shafighi M**, Doring V, Sterne GD.

An unusual case of galactorrhea in a postmenopausal woman complicating breast reduction.

J Plast Reconstr Aesthet Surg. 2009 Apr;62(4):542-6.

27: Voney G, Biro P, Roos M, Frielingsdorf B, **Shafighi M**, Wyss P.

Interrelation of peri-operative morbidity and ASA class assignment in patients undergoing gynaecological surgery.

Eur J Obstet Gynecol Reprod Biol. 2007 Jun;132(2):220-5.

28: Schwabegger AH, **Shafighi M**, Gurunluoglu R.

Versatility of the abductor hallucis muscle as a conjoined or distally-based flap.

J Trauma. 2005 Oct;59(4):1007-11.

29: Gurunluoglu R, Meirer R, **Shafighi M**, Huemer GM, Yilmaz B, Piza-Katzer H.

Gene therapy with adenovirus-mediated VEGF enhances skin flap prefabrication.

Microsurgery. 2005;25(5):433-41.

30: Meirer R, Huemer GM, **Shafighi M**, Kamelger FS, Hussl H, Piza-Katzer H.

Sciatic nerve enlargement in the Klippel-Trenaunay-Weber syndrome.

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

Br J Plast Surg. 2005 Jun;58(4):565-8.

31: Gurunluoglu R, **Shafighi M**, Schwabegger A, Ninkovic M.

Secondary breast reconstruction with deepithelialized free flaps from the lower abdomen for intractable capsular contracture and maintenance of breast volume.

J Reconstr Microsurg. 2005 Jan;21(1):35-41.

32: Huemer GM, **Shafighi M**, Meirer R, Debagge P, Piza-Katzer H, Gurunluoglu R.

Adenovirus-mediated transforming growth factor-beta ameliorates ischemic necrosis of epigastric skin flaps in a rat model.

J Surg Res. 2004 Sep;121(1):101-7.

33: Spanio S, Novack E, Gurunluoglu R, **Shafighi M**, Romansky R, Ninkovic M.

Pediatric cranio-facial surgery. First-year's experience with a gun applying bioabsorbable tacks.

Minerva Stomatol. 2004 Jul-Aug;53(7-8):449-55. English, Italian.

34: Schwabegger AH, **Shafighi M**, Gurunluoglu R.

An unusual case of thigh adductor weakness: obturator nerve ganglion.

J Neurol Neurosurg Psychiatry. 2004 May;75(5):775.

35: Gurunluoglu R, **Shafighi M**, Gardetto A, Piza-Katzer H.

Composite skin grafts for basal cell carcinoma defects of the nose.

Aesthetic Plast Surg. 2003 Jul-Aug;27(4):286-92. Review.

36: Schoeller T, Huemer GM, **Shafighi M**, Gurunluoglu R, Wechselberger G,

Piza-Katzer H.

Microsurgical repair of the sural nerve after nerve biopsy to avoid associated sensory morbidity: a preliminary report.

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

Neurosurgery. 2004 Apr;54(4):897-900; discussion 900-1.

37: Schoeller T, Huemer GM, **Shafighi M**, Gurunluoglu R, Wechselberger G, Piza-Katzer H.

Free anteromedial thigh flap: clinical application and review of literature.

Microsurgery. 2004;24(1):43-8. Review.

38: Gurunluoglu R, **Shafighi M**, Huemer GM, Gurunluoglu A, Piza-Katzer H.

Carl Nicoladoni (1847-1902): professor of surgery.

Ann Surg. 2004 Feb;239(2):281-92.

39: Schwabegger AH, **Shafighi M**, Harpf C, Gardetto A, Gurunluoglu R.

Distally based abductor hallucis muscle flap: anatomic basis and clinical application.

Ann Plast Surg. 2003 Nov;51(5):505-8.

40: Gurunluoglu R, Huemer GM, **Shafighi M**, Gurunluoglu A, Piza-Katzer H.

Carl Nicoladoni and his contributions to scoliosis.

Spine (Phila Pa 1976). 2003 Oct 15;28(20):2426-31.

41: Gurunluoglu R, **Shafighi M**, Ozer K, Piza-Katzer H.

Practical use of digital cameras for microphotography through the operating microscope.

J Reconstr Microsurg. 2003 Jul;19(5):319-22.

42: **Shafighi M**, Huemer GM, Meirer R, Piza-Katzer H. Comparison of epigastric skin flap survival in sharp versus electrocautery dissection in a rat model.

Plast Reconstr Surg. 2003 Oct;112(5):1503-4.

43: Schoeller T, **Shafighi M**, Huemer GM, Wechselberger G, Piza-Katzer H.

[Coverage of pressure sores with free flaps].

Publications

PD Dr. med. Maziar Shafighi, FEBOPRAS

Chirurg. 2003 Jul;74(7):671-6. German.

44: **Shafighi M**, Schwabegger AH, Michelle E, Gurunluoglu R.

A cadaver study: the course of the inferior epigastric vessels.

Plast Reconstr Surg. 2003 Jul;112(1):341-3.

45: **Shafighi M**, Gurunluoglu R, Ninkovic M, Mallouhi A, Bodner G.

Ultrasonography for depiction of brachial plexus injury.

J Ultrasound Med. 2003 Jun;22(6):631-4.

46: Schwabegger AH, **Shafighi M**, Gurunluoglu R, Bodner G.

Gas bubbles as sonographic signs of buried muscle flap necrosis.

J Ultrasound Med. 2003 Apr;22(4):409-11.

47: Gölder SK, Friess H, **Shafighi M**, Kleeff JH, Büchler MW.

A chair leg as the rare cause of a transabdominal impalement with duodenal and pancreatic involvement.

J Trauma. 2001 Jul;51(1):164-7. Review.